

!SESSION 2017-11-13 14:27:50.154 -----

eclipse.buildId=unknown

java.version=1.7.0_25

java.vendor=Oracle Corporation

BootLoader constants: OS=macosx, ARCH=x86_64, WS=cocoa, NL=it

Framework arguments: -keyring /Users/carlo/.eclipse_keyring -showlocation

Command-line arguments: -os macosx -ws cocoa -arch x86_64 -keyring

/Users/carlo/.eclipse_keyring -showlocation

!ENTRY org.eclipse.ui 2 2 2017-11-13 14:28:26.920

!MESSAGE Invalid preference category path:

org.eclipse.equinox.internal.p2.ui.sdk.ProvisioningPreferencePage (bundle:

org.eclipse.equinox.p2.ui.sdk.scheduler, page:

org.eclipse.equinox.internal.p2.ui.sdk.schedulerAutomaticUpdatesPreferencePage)

!ENTRY org.eclipse.core.net 1 0 2017-11-13 14:28:29.337

!MESSAGE System property http.nonProxyHosts has been set to local|*.local|169.254/16|

*.169.254/16 by an external source. This value will be overwritten using the values from the preferences

!SESSION 2017-11-13 14:29:30.763 -----

eclipse.buildId=unknown

java.version=1.7.0_25

java.vendor=Oracle Corporation

BootLoader constants: OS=macosx, ARCH=x86_64, WS=cocoa, NL=it

Framework arguments: -keyring /Users/carlo/.eclipse_keyring -showlocation

Command-line arguments: -os macosx -ws cocoa -arch x86_64 -keyring

/Users/carlo/.eclipse_keyring -showlocation

!ENTRY org.eclipse.ui 2 2 2017-11-13 14:29:44.360

!MESSAGE Invalid preference category path:

org.eclipse.equinox.internal.p2.ui.sdk.ProvisioningPreferencePage (bundle:

org.eclipse.equinox.p2.ui.sdk.scheduler, page:

org.eclipse.equinox.internal.p2.ui.sdk.schedulerAutomaticUpdatesPreferencePage)

!ENTRY org.eclipse.core.net 1 0 2017-11-13 14:29:45.127

!MESSAGE System property http.nonProxyHosts has been set to local|*.local|169.254/16|

*.169.254/16 by an external source. This value will be overwritten using the values from the preferences

!ENTRY it.sogei.rcp.update 4 0 2017-11-13 14:30:26.890

!MESSAGE

!STACK 0

java.lang.InterruptedException

at org.eclipse.jface.operation.ModalContext.run(ModalContext.java:418)

at org.eclipse.jface.dialogs.ProgressMonitorDialog.run(ProgressMonitorDialog.java:507)

at it.sogei.rcp.update.util.P2Util.checkForUpdates(P2Util.java:37)

at

it.sogei.telematico.application.WindowAdvisor.postWindowOpen(WindowAdvisor.java:39)

at

it.sogei.rcp.core.eclipse.RCPWorkbenchWindowAdvisor.postWindowOpen(RCPWorkbenchWindowAdvisor.java:92)

```
        at
org.eclipse.ui.internal.WorkbenchWindow.fireWindowOpened(WorkbenchWindow.java:1310)
        at org.eclipse.ui.internal.Workbench.createWorkbenchWindow(Workbench.java:1412)
        at org.eclipse.ui.internal.Workbench.getActiveWorkbenchWindow(Workbench.java:1373)
        at
org.eclipse.ui.internal.services.WorkbenchSourceProvider.updateActiveShell(WorkbenchSourcePro
vider.java:924)
        at
org.eclipse.ui.internal.services.WorkbenchSourceProvider.getCurrentState(WorkbenchSourceProvid
er.java:133)
        at
org.eclipse.ui.internal.services.WorkbenchSourceProvider$6.handleEvent(WorkbenchSourceProvid
er.java:684)
            at org.eclipse.swt.widgets.EventTable.sendEvent(EventTable.java:84)
            at org.eclipse.swt.widgets.Display.filterEvent(Display.java:1080)
            at org.eclipse.swt.widgets.Display.sendEvent(Display.java:4165)
            at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1466)
            at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1489)
            at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1470)
            at org.eclipse.swt.widgets.Shell.windowDidBecomeKey(Shell.java:2157)
            at org.eclipse.swt.widgets.Display.windowProc(Display.java:5604)
            at org.eclipse.swt.internal.cocoa.OS.objc_msgSendSuper(Native Method)
            at org.eclipse.swt.widgets.Widget.callSuper(Widget.java:214)
            at org.eclipse.swt.widgets.Widget.becomeKeyWindow(Widget.java:366)
            at org.eclipse.swt.widgets.Shell.becomeKeyWindow(Shell.java:523)
            at org.eclipse.swt.widgets.Display.windowProc(Display.java:5428)
            at org.eclipse.swt.internal.cocoa.OS.objc_msgSend(Native Method)
            at org.eclipse.swt.internal.cocoa.NSWindow.makeKeyAndOrderFront(NSWindow.java:202)
            at org.eclipse.swt.widgets.Shell.makeKeyAndOrderFront(Shell.java:1289)
            at org.eclipse.swt.widgets.Shell.setWindowVisible(Shell.java:1970)
            at org.eclipse.swt.widgets.Shell.open(Shell.java:1347)
        at
org.eclipse.e4.ui.workbench.renderers.swt.WBWRenderer.postProcess(WBWRenderer.java:674)
        at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.safeCreateGui(PartRenderingEngine
.java:649)
        at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.safeCreateGui(PartRenderingEngine
.java:735)
        at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.access$2(PartRenderingEngine.java:
706)
        at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine$7.run(PartRenderingEngine.java:70
0)
            at org.eclipse.core.runtime.SafeRunner.run(SafeRunner.java:42)
            at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.createGui(PartRenderingEngine.java
:685)
            at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine$9.run(PartRenderingEngine.java:10
38)
```

```
    at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:332)
    at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.run(PartRenderingEngine.java:997)
    at
org.eclipse.e4.ui.internal.workbench.E4Workbench.createAndRunUI(E4Workbench.java:140)
    at org.eclipse.ui.internal.Workbench$5.run(Workbench.java:611)
    at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:332)
    at org.eclipse.ui.internal.Workbench.createAndRunWorkbench(Workbench.java:567)
    at org.eclipse.ui.PlatformUI.createAndRunWorkbench(PlatformUI.java:150)
    at it.sogei.rcp.core.controller.DesktopController$1.run(DesktopController.java:242)
    at it.sogei.rcp.core.controller.DesktopController$1.run(DesktopController.java:1)
    at java.security.AccessController.doPrivileged(Native Method)
    at javax.security.auth.Subject.doAs(Subject.java:356)
    at it.sogei.rcp.core.controller.DesktopController.secureStart(DesktopController.java:211)
    at it.sogei.rcp.core.controller.DesktopController.start(DesktopController.java:117)
    at it.sogei.rcp.core.boundary.DesktopBoundary.start(DesktopBoundary.java:48)
    at it.sogei.telematico.application.Application.start(Application.java:34)
    at org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:196)
    at
org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(EclipseAppLauncher.
java:110)
    at
org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:79)
    at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:354)
    at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:181)
    at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
    at
sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
    at java.lang.reflect.Method.invoke(Method.java:606)
    at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:636)
    at org.eclipse.equinox.launcher.Main.basicRun(Main.java:591)
    at org.eclipse.equinox.launcher.Main.run(Main.java:1450)
```

!ENTRY org.eclipse.e4.ui.workbench.swt 4 2 2017-11-13 14:30:26.922

!MESSAGE Problems occurred when invoking code from plug-in:

"org.eclipse.e4.ui.workbench.swt".

!STACK 0

```
org.eclipse.swt.SWTException: Widget is disposed
    at org.eclipse.swt.SWT.error(SWT.java:4397)
    at org.eclipse.swt.SWT.error(SWT.java:4312)
    at org.eclipse.swt.SWT.error(SWT.java:4283)
    at org.eclipse.swt.widgets.Widget.error(Widget.java:783)
    at org.eclipse.swt.widgets.Widget.checkWidget(Widget.java:573)
    at org.eclipse.swt.widgets.Widget.getData(Widget.java:845)
    at
org.eclipse.ui.internal.services.WorkbenchSourceProvider.handleCheck(WorkbenchSourceProvider.
java:288)
    at
org.eclipse.ui.internal.services.WorkbenchSourceProvider.checkOtherSources(WorkbenchSourcePr
ovider.java:863)
```

```
at
org.eclipse.ui.internal.services.WorkbenchSourceProvider$6.handleEvent(WorkbenchSourceProvid
er.java:847)
    at org.eclipse.swt.widgets.EventTable.sendEvent(EventTable.java:84)
    at org.eclipse.swt.widgets.Display.filterEvent(Display.java:1080)
    at org.eclipse.swt.widgets.Display.sendEvent(Display.java:4165)
    at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1466)
    at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1489)
    at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1470)
    at org.eclipse.swt.widgets.Shell.windowDidBecomeKey(Shell.java:2157)
    at org.eclipse.swt.widgets.Display.windowProc(Display.java:5604)
    at org.eclipse.swt.internal.cocoa.OS.objc_msgSendSuper(Native Method)
    at org.eclipse.swt.widgets.Widget.callSuper(Widget.java:214)
    at org.eclipse.swt.widgets.Widget.becomeKeyWindow(Widget.java:366)
    at org.eclipse.swt.widgets.Shell.becomeKeyWindow(Shell.java:523)
    at org.eclipse.swt.widgets.Display.windowProc(Display.java:5428)
    at org.eclipse.swt.internal.cocoa.OS.objc_msgSend(Native Method)
    at org.eclipse.swt.internal.cocoa.NSWindow.makeKeyAndOrderFront(NSWindow.java:202)
    at org.eclipse.swt.widgets.Shell.makeKeyAndOrderFront(Shell.java:1289)
    at org.eclipse.swt.widgets.Shell.setWindowVisible(Shell.java:1970)
    at org.eclipse.swt.widgets.Shell.open(Shell.java:1347)
    at
org.eclipse.e4.ui.workbench.renderers.swt.WBWRenderer.postProcess(WBWRenderer.java:674)
    at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.safeCreateGui(PartRenderingEngine
.java:649)
    at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.safeCreateGui(PartRenderingEngine
.java:735)
    at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.access$2(PartRenderingEngine.java:
706)
    at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine$7.run(PartRenderingEngine.java:70
0)
        at org.eclipse.core.runtime.SafeRunner.run(SafeRunner.java:42)
        at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.createGui(PartRenderingEngine.java
:685)
        at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine$9.run(PartRenderingEngine.java:10
38)
            at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:332)
            at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.run(PartRenderingEngine.java:997)
            at
org.eclipse.e4.ui.internal.workbench.E4Workbench.createAndRunUI(E4Workbench.java:140)
                at org.eclipse.ui.internal.Workbench$5.run(Workbench.java:611)
                at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:332)
                at org.eclipse.ui.internal.Workbench.createAndRunWorkbench(Workbench.java:567)
                at org.eclipse.ui.PlatformUI.createAndRunWorkbench(PlatformUI.java:150)
                at it.sogei.rcp.core.controller.DesktopController$1.run(DesktopController.java:242)
```

```
at it.sogei.rcp.core.controller.DesktopController$1.run(DesktopController.java:1)
at java.security.AccessController.doPrivileged(Native Method)
at javax.security.auth.Subject.doAs(Subject.java:356)
at it.sogei.rcp.core.controller.DesktopController.secureStart(DesktopController.java:211)
at it.sogei.rcp.core.controller.DesktopController.start(DesktopController.java:117)
at it.sogei.rcp.core.boundary.DesktopBoundary.start(DesktopBoundary.java:48)
at it.sogei.telematico.application.Application.start(Application.java:34)
at org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:196)
at
org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(EclipseAppLauncher.
java:110)
at
org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:79)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:354)
at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:181)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
at
sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:606)
at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:636)
at org.eclipse.equinox.launcher.Main.basicRun(Main.java:591)
at org.eclipse.equinox.launcher.Main.run(Main.java:1450)
```

!ENTRY org.eclipse.e4.ui.workbench 4 0 2017-11-13 14:30:26.924

!MESSAGE Exception occurred while rendering:

org.eclipse.e4.ui.model.application.ui.basic.impl.TrimmedWindowImpl@2ec515d6 (elementId:
IDEWindow, tags: [topLevel, shellMaximized], contributorURI:
platform:/plugin/org.eclipse.ui.workbench) (widget: null, renderer: null, toBeRendered: true, onTop:
false, visible: true, containerData: null, accessibilityPhrase: null) (label:
%trimmedwindow.label.eclipseSDK, iconURI: null, tooltip: null, context: null, variables: [], x:
-2147483648, y: -2147483648, width: 2542, height: 1331)

!STACK 0

```
org.eclipse.swt.SWTException: Widget is disposed
at org.eclipse.swt.SWT.error(SWT.java:4397)
at org.eclipse.swt.SWT.error(SWT.java:4312)
at org.eclipse.swt.SWT.error(SWT.java:4283)
at org.eclipse.swt.widgets.Widget.error(Widget.java:783)
at org.eclipse.swt.widgets.Widget.checkWidget(Widget.java:573)
at org.eclipse.swt.widgets.Widget.getData(Widget.java:845)
at
org.eclipse.ui.internal.services.WorkbenchSourceProvider.handleCheck(WorkbenchSourceProvider.
java:288)
at
org.eclipse.ui.internal.services.WorkbenchSourceProvider.checkOtherSources(WorkbenchSourcePr
ovider.java:863)
at
org.eclipse.ui.internal.services.WorkbenchSourceProvider$6.handleEvent(WorkbenchSourceProvid
er.java:847)
at org.eclipse.swt.widgets.EventTable.sendEvent(EventTable.java:84)
at org.eclipse.swt.widgets.Display.filterEvent(Display.java:1080)
at org.eclipse.swt.widgets.Display.sendEvent(Display.java:4165)
```

```
at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1466)
at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1489)
at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1470)
at org.eclipse.swt.widgets.Shell.windowDidBecomeKey(Shell.java:2157)
at org.eclipse.swt.widgets.Display.windowProc(Display.java:5604)
at org.eclipse.swt.internal.cocoa.OS.objc_msgSendSuper(Native Method)
at org.eclipse.swt.widgets.Widget.callSuper(Widget.java:214)
at org.eclipse.swt.widgets.Widget.becomeKeyWindow(Widget.java:366)
at org.eclipse.swt.widgets.Shell.becomeKeyWindow(Shell.java:523)
at org.eclipse.swt.widgets.Display.windowProc(Display.java:5428)
at org.eclipse.swt.internal.cocoa.OS.objc_msgSend(Native Method)
at org.eclipse.swt.internal.cocoa.NSWindow.makeKeyAndOrderFront(NSWindow.java:202)
at org.eclipse.swt.widgets.Shell.makeKeyAndOrderFront(Shell.java:1289)
at org.eclipse.swt.widgets.Shell.setWindowVisible(Shell.java:1970)
at org.eclipse.swt.widgets.Shell.open(Shell.java:1347)
at
org.eclipse.e4.ui.workbench.renderers.swt.WBWRenderer.postProcess(WBWRenderer.java:674)
at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.safeCreateGui(PartRenderingEngine
.java:649)
at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.safeCreateGui(PartRenderingEngine
.java:735)
at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.access$2(PartRenderingEngine.java:
706)
at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine$7.run(PartRenderingEngine.java:70
0)
at org.eclipse.core.runtime.SafeRunner.run(SafeRunner.java:42)
at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.createGui(PartRenderingEngine.java
:685)
at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine$9.run(PartRenderingEngine.java:10
38)
at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:332)
at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.run(PartRenderingEngine.java:997)
at
org.eclipse.e4.ui.internal.workbench.E4Workbench.createAndRunUI(E4Workbench.java:140)
at org.eclipse.ui.internal.Workbench$5.run(Workbench.java:611)
at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:332)
at org.eclipse.ui.internal.Workbench.createAndRunWorkbench(Workbench.java:567)
at org.eclipse.ui.PlatformUI.createAndRunWorkbench(PlatformUI.java:150)
at it.sogei.rcp.core.controller.DesktopController$1.run(DesktopController.java:242)
at it.sogei.rcp.core.controller.DesktopController$1.run(DesktopController.java:1)
at java.security.AccessController.doPrivileged(Native Method)
at javax.security.auth.Subject.doAs(Subject.java:356)
at it.sogei.rcp.core.controller.DesktopController.secureStart(DesktopController.java:211)
at it.sogei.rcp.core.controller.DesktopController.start(DesktopController.java:117)
at it.sogei.rcp.core.boundary.DesktopBoundary.start(DesktopBoundary.java:48)
```

```

        at it.sogei.telematico.application.Application.start(Application.java:34)
        at org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:196)
        at
org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(EclipseAppLauncher.
java:110)
        at
org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:79)
        at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:354)
        at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:181)
        at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
        at
sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
        at java.lang.reflect.Method.invoke(Method.java:606)
        at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:636)
        at org.eclipse.equinox.launcher.Main.basicRun(Main.java:591)
        at org.eclipse.equinox.launcher.Main.run(Main.java:1450)
!SESSION 2017-11-13 14:30:35.551 -----
eclipse.buildId=unknown
java.version=1.7.0_25
java.vendor=Oracle Corporation
BootLoader constants: OS=macosx, ARCH=x86_64, WS=cocoa, NL=it
Framework arguments: -keyring /Users/carlo/.eclipse_keyring -showlocation
Command-line arguments: -os macosx -ws cocoa -arch x86_64 -keyring
/Users/carlo/.eclipse_keyring -showlocation

!ENTRY org.eclipse.ui 2 2 2017-11-13 14:30:54.738
!MESSAGE Invalid preference category path:
org.eclipse.equinox.internal.p2.ui.sdk.ProvisioningPreferencePage (bundle:
org.eclipse.equinox.p2.ui.sdk.scheduler, page:
org.eclipse.equinox.internal.p2.ui.sdk.schedulerAutomaticUpdatesPreferencePage)

!ENTRY org.eclipse.core.net 1 0 2017-11-13 14:30:55.491
!MESSAGE System property http.nonProxyHosts has been set to local|*.local|169.254/16|
*.169.254/16 by an external source. This value will be overwritten using the values from the
preferences

!ENTRY it.sogei.rcp.update 4 0 2017-11-13 14:31:09.930
!MESSAGE
!STACK 0
java.lang.InterruptedException
        at org.eclipse.jface.operation.ModalContext.run(ModalContext.java:418)
        at org.eclipse.jface.dialogs.ProgressMonitorDialog.run(ProgressMonitorDialog.java:507)
        at it.sogei.rcp.update.util.P2Util.checkForUpdates(P2Util.java:37)
        at
it.sogei.telematico.application.WindowAdvisor.postWindowOpen(WindowAdvisor.java:39)
        at
it.sogei.rcp.core.eclipse.RCPWorkbenchWindowAdvisor.postWindowOpen(RCPWorkbenchWindo
wAdvisor.java:92)
        at
org.eclipse.ui.internal.WorkbenchWindow.fireWindowOpened(WorkbenchWindow.java:1310)
        at org.eclipse.ui.internal.Workbench.createWorkbenchWindow(Workbench.java:1412)

```

at org.eclipse.ui.internal.Workbench.getActiveWorkbenchWindow(Workbench.java:1373)
at
org.eclipse.ui.internal.services.WorkbenchSourceProvider.updateActiveShell(WorkbenchSourceProvider.java:924)
at
org.eclipse.ui.internal.services.WorkbenchSourceProvider.getCurrentState(WorkbenchSourceProvider.java:133)
at
org.eclipse.ui.internal.services.WorkbenchSourceProvider\$6.handleEvent(WorkbenchSourceProvider.java:684)
at org.eclipse.swt.widgets.EventTable.sendEvent(EventTable.java:84)
at org.eclipse.swt.widgets.Display.filterEvent(Display.java:1080)
at org.eclipse.swt.widgets.Display.sendEvent(Display.java:4165)
at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1466)
at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1489)
at org.eclipse.swt.widgets.Widget.sendEvent(Widget.java:1470)
at org.eclipse.swt.widgets.Shell.windowDidBecomeKey(Shell.java:2157)
at org.eclipse.swt.widgets.Display.windowProc(Display.java:5604)
at org.eclipse.swt.internal.cocoa.OS.objc_msgSendSuper(Native Method)
at org.eclipse.swt.widgets.Widget.callSuper(Widget.java:214)
at org.eclipse.swt.widgets.Widget.becomeKeyWindow(Widget.java:366)
at org.eclipse.swt.widgets.Shell.becomeKeyWindow(Shell.java:523)
at org.eclipse.swt.widgets.Display.windowProc(Display.java:5428)
at org.eclipse.swt.internal.cocoa.OS.objc_msgSend(Native Method)
at org.eclipse.swt.internal.cocoa.NSWindow.makeKeyAndOrderFront(NSWindow.java:202)
at org.eclipse.swt.widgets.Shell.makeKeyAndOrderFront(Shell.java:1289)
at org.eclipse.swt.widgets.Shell.setWindowVisible(Shell.java:1970)
at org.eclipse.swt.widgets.Shell.open(Shell.java:1347)
at
org.eclipse.e4.ui.workbench.renderers.swt.WBWRenderer.postProcess(WBWRenderer.java:674)
at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.safeCreateGui(PartRenderingEngine.java:649)
at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.safeCreateGui(PartRenderingEngine.java:735)
at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.access\$2(PartRenderingEngine.java:706)
at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine\$7.run(PartRenderingEngine.java:700)
at org.eclipse.core.runtime.SafeRunner.run(SafeRunner.java:42)
at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.createGui(PartRenderingEngine.java:685)
at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine\$9.run(PartRenderingEngine.java:1038)
at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:332)
at
org.eclipse.e4.ui.internal.workbench.swt.PartRenderingEngine.run(PartRenderingEngine.java:997)


```
    at
org.eclipse.e4.ui.internal.workbench.E4Workbench.createAndRunUI(E4Workbench.java:140)
    at org.eclipse.ui.internal.Workbench$5.run(Workbench.java:611)
    at org.eclipse.core.databinding.observable.Realm.runWithDefault(Realm.java:332)
    at org.eclipse.ui.internal.Workbench.createAndRunWorkbench(Workbench.java:567)
    at org.eclipse.ui.PlatformUI.createAndRunWorkbench(PlatformUI.java:150)
    at it.sogei.rcp.core.controller.DesktopController$1.run(DesktopController.java:242)
    at it.sogei.rcp.core.controller.DesktopController$1.run(DesktopController.java:1)
    at java.security.AccessController.doPrivileged(Native Method)
    at javax.security.auth.Subject.doAs(Subject.java:356)
    at it.sogei.rcp.core.controller.DesktopController.secureStart(DesktopController.java:211)
    at it.sogei.rcp.core.controller.DesktopController.start(DesktopController.java:117)
    at it.sogei.rcp.core.boundary.DesktopBoundary.start(DesktopBoundary.java:48)
    at it.sogei.telematico.application.Application.start(Application.java:34)
    at org.eclipse.equinox.internal.app.EclipseAppHandle.run(EclipseAppHandle.java:196)
    at
org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.runApplication(EclipseAppLauncher.
java:110)
    at
org.eclipse.core.runtime.internal.adaptor.EclipseAppLauncher.start(EclipseAppLauncher.java:79)
    at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:354)
    at org.eclipse.core.runtime.adaptor.EclipseStarter.run(EclipseStarter.java:181)
    at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:57)
    at
sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
    at java.lang.reflect.Method.invoke(Method.java:606)
    at org.eclipse.equinox.launcher.Main.invokeFramework(Main.java:636)
    at org.eclipse.equinox.launcher.Main.basicRun(Main.java:591)
    at org.eclipse.equinox.launcher.Main.run(Main.java:1450)
```